



VATS & MIS



**AFFORDABLE
INNOVATIONS**

SURGICAL PROCEDURES ARE QUICKLY DEVELOPING FROM «OPEN FIELD» TO MINIMALLY INVASIVE AND VIDEO ASSISTED WITHIN THE CARDIOVASCULAR AND THORACIC FIELDS.


RUMEX is continuing all efforts to minimize patient trauma and manufacture instruments according to the latest technological and surgical trends. RUMEX manufactures Minimally Invasive Cardiac Surgery (MIS) and Video Assisted Thoracoscopic Surgery (VATS) Instruments both in Titanium and Stainless Steel.

RUMEX MIS and VATS specialities:


Ergonomic Handle design provides a secure grasp that is comfortable and familiar for prolonged use!

VATS and MIS

VATS AND MIS



RUMEX Minimally Invasive Instruments are fully functional when placed through tiniest incisions.




*Alternative stainless steel analogs are available upon request
Customized instruments are available upon request

THORACOSCOPIC DeBAKEY VATS AND MIS CLAMP




	60 mm 1×2 DeBakey Atraumatic jaws, 5 mm Shaft, w/Ratchet, (21 cm Working Length) – 12.25" (31 cm)	5-0301T
	60 mm 1×2 DeBakey Atraumatic jaws, 6 mm Shaft, w/Ratchet, (21 cm Working Length) – 12.25" (31 cm)	5-0302T
	65 mm 1×2 DeBakey Atraumatic jaws, 10 mm Shaft, w/Ratchet, (23 cm Working Length) – 12.75" (32 cm)	5-0303T
	100 mm 1×2 DeBakey Atraumatic jaws, 10 mm Shaft, w/Ratchet, (25.5 cm Working Length) – 14.25" (36 cm)	5-0304T
	110 mm 1×2 DeBakey Atraumatic Tapered jaws, 10 mm Shaft, w/Ratchet, (25.5 cm Working Length) – 14.5" (37 cm)	5-0306T
	115 mm 1×2 DeBakey Atraumatic Tapered jaws, 10 mm Shaft, w/Ratchet, (27 cm Working Length) – 14.75" (37.5 cm)	5-0305T



SHORTER DeBAKEY CLAMP MIS



	10 mm shaft w/Ratchet, 6.75" (17 cm) Working Length – 9.75" (24.8 cm)	5-0307T
	10 mm shaft w/Ratchet, 6.75" (17 cm) Working Length – 12.250" (31 cm)	5-0308T





LAMBERT KAY CLAMP VATS



	1×2 DeBakey Atraumatic jaws, 10 mm Shaft, Angled Shanks, w/Ratchet, (21 cm Working Length) – 12.25" (31 cm)	5-0321T
--	---	---------





HARKEN VATS CLAMP

Ring Handle		95 mm 1x2 DeBakey Atraumatic jaws, 10 mm Shaft, (25 cm Working Length) – 14" (35.5 cm)	5-0331T
		95 mm 1x2 DeBakey Atraumatic jaws, 10 mm Shaft, (25 cm Working Length), w/Ratchet – 14" (35.5 cm)	5-0332T
		95 mm 1x2 DeBakey Atraumatic jaws, 10 mm Shaft, (25 cm Working Length) – 14" (35.5 cm)	5-0333T
		95 mm 1x2 DeBakey Atraumatic jaws, 10 mm Shaft, (25 cm Working Length), w/Ratchet – 14" (35.5 cm)	5-0334T





CURVED AND ANGLED DISSECTOR FORCEPS VATS AND MIS

Ring Handle		Dissector Serrated jaws, 7 mm shaft, 9.125" (23.3 cm Working Length) – 13.25" (33.5 cm)	5-0100T
		Dissector Serrated jaws, 7 mm shaft, 9.125" (23.3 cm Working Length), w/Ratchet – 13.25" (33.5 cm)	5-0101T
		Dissector DeBakey / Cooley serrated jaws, 10 mm shaft, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0102T
		Dissector DeBakey / Cooley serrated jaws, 10 mm shaft, 9.5" (24 cm Working Length), w/Ratchet – 13.5" (34 cm)	5-0103T





NODE GRASPERS VATS

Ring Handle / Curved Shaft		11 mm Oblong Serrated jaws, 5 mm Shaft, w/Ratchet, 9" (23 cm Working Length) – 13" (33 cm)	5-0104T
		11 mm Oblong Serrated jaws, 5 mm Shaft, w/Ratchet, 9" (23 cm Working Length) – 13" (33 cm)	5-0105T
		11 mm Oblong Serrated jaws, 5 mm Shaft, w/Ratchet, 9" (23 cm Working Length) – 13" (33 cm)	5-0105T




FOERSTER VATS FORCEPS

Ring Handle / Curved Shaft		20 mm Oval Serrated jaws, 10 mm Shaft, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0110T
		20 mm Oval Serrated jaws, 10 mm Shaft, w/Ratchet, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0111T
		12 mm Oval Serrated jaws, 7 mm Shaft, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0108T
		12 mm Oval Serrated jaws, 7 mm Shaft, w/Ratchet, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0109T
		10 mm Oval Serrated jaws, 7 mm Shaft, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0106T
		10 mm Oval Serrated jaws, 7 mm Shaft, w/Ratchet, 9.5" (24 cm Working Length) – 13.5" (34 cm)	5-0107T



DUVAL VATS FORCEPS

Ring Handle / Curved Shaft



15 mm Triangular Serrated ring jaws, 10 mm shaft,
w/Ratchet, 9.25" (23.5 cm Working Length) – 13.5" (34 cm)


5-0112T

25 mm Triangular Serrated ring jaws, 10 mm shaft,
w/Ratchet, 9.25" (23.5 cm Working Length) – 13.5" (34 cm)

5-0113T

ALLIS VATS AND MIS FORCEPS

Ring Handle



6 mm Wide jaws, 7 mm Shaft, w/Ratchet, 9.5"
(24 cm Working Length) – 13.5" (34 cm)

5-0114T

NEEDLE HOLDER MIS

Ring Handle



5 mm Shaft w/ Lock, 6.5" (16.5 cm)
Working Length – 10.5" (26.5 cm)

5-0201T

7 mm shaft, 6.25" (16 cm)
Working Length – 11.25" (28.5 cm)

5-0202T

5 mm shaft, 6.5" (16.5 cm)
Working Length – 10.5" (27 cm)

5-0203T

10 mm shaft, 8.25" (21 cm)
Working Length – 13.5" (34 cm)

5-0204T

7 mm shaft, 8.5" (21.5 cm)
Working Length – 13.5" (34 cm)

5-0205T

HEAVY AND X-HEAVY NEEDLE HOLDER VATS AND MIS

Ring Handle



Heavy jaws w/TC Coated, 7 mm Shaft, w/Ratchet,
(21 cm Working Length) – 13.5" (34 cm)

5-0210T

X-Heavy jaws w/TC Coated, 10 mm Shaft, w/Ratchet,
(21 cm Working Length) – 13.5" (34 cm)

5-0213T

Heavy jaws w/TC Coated, 7 mm Shaft, w/Ratchet,
(21 cm Working Length) – 13.5" (34 cm)


5-0211T

X-Heavy jaws w/TC Coated, 10 mm Shaft, w/Ratchet,
(21 cm Working Length) – 13.5" (34 cm)

5-0214T

CHEST TUBE PASSERS VATS AND MIS

Ring Handle / Curved Shaft



10 mm Curved Shaft, 6.75"
(15.5 cm Working Length) – 9.75" (24 cm)

5-0401T

10 mm Curved Shaft, 6.75"
(17.5 cm Working Length), w/Ratchet – 9.75" (24 cm)

5-0402T

10 mm Curved Shaft, 11"
(28 cm Working Length) – 14" (35.5 cm)

5-0403T

10 mm Curved Shaft, 11"
(28 cm Working Length), w/Ratchet – 14" (35.5 cm)

5-0404T

SEMB VATS CLAMPS

Ring Handle




140 mm 1x2 DeBakey Atraumatic jaws, 10 mm Shaft,
w/Ratchet, (31 cm Working Length) – 15.5" (39.5 cm)

5-0311T

DENNIS DISSECTOR


Ring Handle /
Straight shaft



Straight 7 mm shaft, 9" (23 cm)
Working Length – 13.25" (33.5 cm)

5-0801T

Ring Handle /
Straight shaft



Curved 7 mm shaft, 9" (23 cm)
Working Length – 13.25" (33.5 cm)

5-0802T

FORCEPS, AXIAL HANDLE

Axial Handle/
Straight Shaft



5 mm shaft, 6.25" (16 cm) Working Length – 12.5" (32 cm)
5 mm shaft, 8" (20 cm) Working Length – 14.25" (36 cm)

5-0121T

5-0122T

FORCEPS, SPRING STYLE HANDLE

Spring style / Straight Shaft



5 mm shaft w/ out lock, 7.75" (19.5 cm)
Working Length – 16" (41 cm)

5-0131T

NEEDLE HOLDERS, SPRING STYLE

Spring style / Straight Shaft



5 mm shaft w/ lock, 6.5" (16.5 cm)
Working Length – 15.375" (38.5 cm)

5-0231T

NEEDLE HOLDERS, AXIAL HANDLE

Spring style / Straight Shaft



7 mm shaft, 8" (20 cm) Working Length – 14.375" (36.5 cm)
6 mm shaft, 8" (20 cm) Working Length – 14.375" (36.5 cm)
5 mm shaft, 8" (20 cm) Working Length -14.375" (36.5 cm)


5-0241T

5-0242T

5-0243T

DOUBLE-ACTION METZENBAUM SCISSORS


Ring Handle



73 mm jaws, 10 mm shaft, 8.4"
(21.4 cm Working Length) – 12.8" (32.6 cm)
73 mm jaws, 10 mm shaft, 8.4"
(21.4 cm Working Length) – 14.4" (36.6 cm)

5-0244S

5-0245S







67 mm jaws, 10 mm shaft, 8.1"
(20.8 cm Working Length) – 12.5" (32 cm)
67 mm jaws, 10 mm shaft, 8.1"
(20.8 cm Working Length) – 14.1" (36 cm)





5-0246S

5-0247S




SLIDING SHAFT SCISSORS

		
Ring Handle		55 mm jaws, 10 mm shaft, 9.8" (25 cm Working Length) – 14.1" (36 cm) 5-0248S
		55 mm jaws, 10 mm shaft, 9.8" (25 cm Working Length) – 14.1" (36 cm) 5-0249S
		35 mm jaws, 10 mm shaft, 7" (18 cm Working Length) – 11.5" (29 cm) 5-0250S

SUPERCUT SLIDER SCISSORS

		
Ring Handle		35 mm jaws, 5 mm shaft, 11.5" (28.8 cm Working Length) – 14" (35.5 cm) 5-0251S
		35 mm jaws, 5 mm shaft, 7.7" (19.5 cm Working Length) – 11.3" (32 cm) 5-0252S
		30 mm jaws, 5 mm shaft, 6.5" (16.5 cm Working Length) – 11.5" (29 cm) 5-0253S


HALMANN DOUBLE-ACTION CLAMP

		
Ring Handle		Double-action clamp w/cross teeth jaws – 13.5" (34.5 cm) 5-0254S
		Double-action clamp w/cross teeth jaws – 15.7" (40 cm) 5-0255S

DeBAKEY HALMANN-GREGORY DOUBLE-ACTION CLAMP

		
Ring Handle		Double-action clamp w/2x3 teeth – 15" (38 cm) 5-0256S
		Double-action clamp w/2x3 teeth – 19" (48 cm) 5-0257S


HOOKS




Fine Nerve & Vessel Hook – 13.75" (35 cm) 5-0501T



Round Handle




Nerve & Vessel Hook – 13.75" (35 cm) 5-0502T



Vessel Hook – 13.75" (35 cm) 5-0503T

SUTURE PULLER VATS AND MIS



Round Handle



13.75" (35 cm) 5-0601T

SCALPEL BLADE HOLDER VATS AND MIS

Round Handle



14.5" (37 cm) 5-0701T

RUMEX International Company
13770 58th St North, Suite 303
Clearwater FL 33760, USA

USA & Canada:

☎ +1 (727) 535 9600

☎ +1 (877) 77 RUMEX (toll-free)

☎ +1 (727) 535 8300

Europe, Asia, Africa, Latin America:

☎ +371 6616 3182

✉ rumex@rumex.com

🌐 rumex.net

🏠 www.rumex.com

